

PROTEASE FUNGAL (Aspergillus oryzae)

SPECIFICATION SHEET

DESCRIPTION

I.U.B. 3.4.23.18

A Non-GMO highly concentrated proteolytic fungal enzyme with some alpha amylase activity, produced from Aspergillus oryzae.

PHYSICAL PROPERTIES

An off white to light tan colored, free-flowing powder, soluble in water, free of offensive odor and taste.

ENZYMATIC PROPERTIES

The pH optimum is 6.0 to 9.0 with a stability range of 4.0 to 10.0. The optimum temperature is 50°C with a stability range from 45°C to 60°C. The enzyme can be inactivated by raising the temperature to 80°C and holding for 15 minutes.

ACTIVITY

The proteolytic activity is measured in hemoglobin units. The assay is based on the enzymatic hydrolysis of denatured hemoglobin at pH 4.7. The acceptance criteria for all enzyme assays is: NLT 85.0% and NMT 115.0% of the declared units of enzyme activity.*

COUNTRY OF ORIGIN Japan

STORAGE/SHELF LIFE/STANDARD PACK SIZE

Product is stable for two years (24 months) if stored at or below 10°C in sealed poly bags in boxes or drums away from sunlight and high humidity. Product is packed in 25 kilo fiber drums or double-wall boxes.

HANDLING PRECAUTIONS

Avoid the formation of aerosol and dust of the product. Repeated inhalation of enzyme aerosol or dust may cause allergic type reactions in sensitized individuals. For detailed information please refer to the SDS.

Description	Specification	Method
Activity:	NLT 800,000 HUT/GM	FCC
Identity:	Protease Fungal	FTIR
Moisture:	NMT 10%	Ohaus MB-45
Metals:		
Lead	NMT 5 ppm	SW-846 6020
Microbiological Data:		
TPC	<10,000 CFU/g	Soleris / AOAC 990.12
E.coli	Negative/10g	Soleris / AOAC 991.14
Entero	<100 CFU/g	AOAC 2003.01
Salmonella**	Negative/25g	BAM Ch. 5 / AOAC 2011.03
Yeast	<1,000 CFU/g	Soleris / AOAC 997.02
Mold	<1,000 CFU/g	Soleris / AOAC 997.02
Coliforms	<100 CFU/g	Soleris / AOAC 991.14

*FCC 9 Page 414 **If Entero test results exceed 100 CFU/g then Salmonella testing is completed.